



255 NORTH MAIN STREET, LOGAN, UTAH 84321  
PHONE 435.716.9020 FAX 435.716.9001  
[www.loganutah.org](http://www.loganutah.org)

## REQUIREMENTS FOR POWER TO PANEL APPROVAL

***EFFECTIVE JANUARY 1, 2007***

As of January 1, 2007, to obtain power to panel for a construction project the following shall be completed and approved by the Logan City Building Division:

1. Footing Inspection .
2. Foundation Inspection.
3. Below-grade plumbing inspection.
4. Four-way rough inspection (including):
  - a. Electrical
  - b. Mechanical
  - c. Plumbing
  - d. Framing
5. Gas piping installation and test
6. Flashing/weather resistive barrier inspection.
7. **Insulation inspection.**
8. **Rough grading of the site shall be completed and retaining walls to be in place in order to obtain Power to Panel. Inspections during construction of the retaining walls shall be requested by the contractor and must have approval from the Logan City Building Division.**

Engineering is required for any retaining wall in excess of 4 feet measured from the bottom of the footing. A licensed engineer shall design walls supporting a slope or surcharge. Additionally, cut slopes and fill slopes in excess of 2 units vertical to 1 unit horizontal shall be completed under engineering supervision.

Thank you for your cooperation,

Building Safety Division