



Logan Aquatic Center **Preventative Maintenance**

Building Maintenance

1. Floors are mopped and cleaned daily and free of any debris.
2. Windows inspected and cleaned daily.
3. Door hinges, locks and handles inspected weekly for proper operation.
4. Building air conditioners and heaters inspected at the end and beginning of each season.
5. Showers, sinks, toilets, urinals, and other restroom fixtures are inspected daily and repaired as needed.
6. Building lighting is inspected regularly; lamps and ballasts are replaced as needed.
7. Painted surfaces are inspected regularly and painted as needed.
8. Water fountains are cleaned and tested for operation and samples taken yearly to be tested by the Bear River Health Department for water safety.
9. Chemical pumps and pump controls are checked daily for correct operation and leaks.
10. Boilers inspected daily for proper operation and any gas or water leaks.
11. Pool, slide pumps and piping are inspected daily for correct operation and leaks.
12. Ultra Violet disinfection system inspected daily for proper operation.

13. Water flow controls check daily for correct flows.
14. Debris screens are cleaned daily as needed.
15. Sand filters inspected weekly for proper operation.

16. Inspect Chlorine and acid storage tanks, piping and fittings for leaks.

Pool Area Maintenance

1. Pool deck is cleaned and washed down nightly and inspected for any hazards.
2. Water features in the leisure pool are inspected daily for proper operation and for any loose parts.
3. Lifeguard stands are inspected daily for loose parts and for stability.
4. Water slide inspected daily for leaks and any damaged.
5. Water slide stand inspected for loose or missing parts and that the stairs are free of any hazards.
6. Pools are inspected daily for loose tiles, debris in the pool and damage equipment.
7. Diving boards inspected and tested daily for any damage or improper set up.
8. Exterior fence inspected to make sure there is no damage and all gates working properly and locked.